

Venus in Transit

June 2004 saw the first passage., known as a 'transit' of the planet Venus across the face of the Sun in 122 years. Transits have helped shape our view of the whole Universe, as Heather Cooper and Nigel Henbest explain

A

On 8 June 2004, more than half the population of the world were treated to a rare astronomical event. For over six hours, the planet Venus steadily inched its way over the surface of the Sun. This "transit" of Venus was the first since 6 December 1882. On that occasion, the American astronomer Professor Simon Newcomb led a party to South Africa to observe the event. They were based at a girls' school, where - if is alleged - the combined forces of three schoolmistresses outperformed the professionals with the accuracy of their observations.

B

For centuries, transits of Venus have drawn explorers and astronomers alike to the four corners of the globe. And you can put it all down to the extraordinary polymath Edmond Halley. In November 1677, Halley observed a transit of the innermost planet Mercury, from the desolate island of St Helena in the South Pacific. He realized that from different latitudes, the passage of the planet across the Sun's disc would appear to differ. By timing the transit from two widely-separated locations, teams of astronomers could calculate the parallax angle - the apparent difference in position of an astronomical body due to a difference in the

He was thwarted by the fact that the British were besieging his observation site at Pondicherry in India. Fleeing on a French warship crossing the Indian Ocean, Le Gentil saw a wonderful transit - but the ship's pitching and rolling ruled out any attempt at making accurate observations. Undaunted, he remained south of the equator, keeping himself busy by studying the islands of Mauritius and Madagascar before setting off to observe the next transit in the Philippines. Ironically after travelling nearly 50,000 kilometres, his view was clouded out at the last moment, a very dispiriting experience.

E

While the early transit timings were as precise as instruments would allow the measurements were dogged by the 'black drop' effect. When Venus begins to cross the Sun's disc, it looks smeared not circular - which makes it difficult to establish timings. This is due to diffraction of light. The second problem is that Venus exhibits a halo of light when it is seen just outside the Sun's disc. While this showed astronomers that Venus was surrounded by a thick layer of gases refracting sunlight around it, both effects made it impossible to obtain accurate timings.

observers position. Calculating this angle would allow astronomers to measure what was then the ultimate goal; the distance of the Earth from the Sun. This distance is known as the 'astronomical unit' or AU.

C

Halley was aware that the AU was one of the most fundamental of all astronomical measurements. Johannes Kepler, in the early 17th century, had shown that the distances of the planets from the Sun governed their orbital speeds, which were easily measurable. But no-one had found a way to calculate accurate distances to the planets from the Earth. The goal was to measure the AU; then, knowing the orbital speeds of all the other planets round the Sun, the scale of the Solar System would fall into place. However, Halley realized that Mercury was so far away that its parallax angle would be very difficult to determine. As Venus was closer to the Earth, its parallax angle would be larger and Halley worked out that by using Venus it would be possible to measure the Sun's distance to 1 part in 500. But there was a problem: transits of Venus, unlike those of Mercury, are rare, occurring in pairs roughly eight years apart every hundred or so years. Nevertheless, he accurately predicted that Venus would cross the face of the Sun in both 1761 and 1769 - though he didn't survive to see either.

D

Inspired by Halley's suggestion of a way to pin down the scale of the Solar System, teams of British and French astronomers set out on expeditions to places

F

But astronomers labored hard to analyze the results of these expeditions to observe Venus transits. Jonathan Franz Encke, Director of the Berlin Observatory, finally determined a value for the AU based on all these parallax measurements: 153340,000 km. Reasonably accurate for the time, that is quite close to today's value of 149,597,870 km, determined by radar, which has now superseded transits and all other methods in accuracy. The AU is a cosmic measuring rod, and the basis of how we scale the Universe today. The parallax principle can be extended to measure the distances to the stars. If we look at a star in January - when Earth is at one point in its orbit - it will seem to be in a different position from where it appears six months later. Knowing the width of Earth's orbit, the parallax shift lets astronomers calculate the distance.

G June 2004's transit of Venus was thus more of an astronomical spectacle than a scientifically important event. But such transits have paved the way for what might prove to be one of the most vital breakthroughs in the cosmos - detecting Earth-sized planets orbiting other stars.

as diverse as India and Siberia. But things weren't helped by Britain and France being at war. The person who deserves most sympathy is the French astronomer Guillaume Le Gentil.

Questions 14-17

Reading Passage 2 has seven paragraphs, **A-G**.

Which paragraph contains the following information?

Write the correct letter A-G, in boxes 14-17 on your answer sheet.

- 14. examples of different ways in which the parallax principle has been applied
- 15. a description of an event which prevented a transit observation
- 16. a statement about potential future discoveries leading on from transit observations
- 17. a description of physical states connected with Venus which early astronomical instruments failed to overcome

Questions 18-21

Look at the following statements (Questions 18-21) and the list of people below

Match each statement with the correct person, A, B, C or D.

Write the correct letter A, B, C or D. in boxes 18-21 on your answer sheet.

- 18. He calculated the distance of the Sun from the Earth based on observations of Venus with a fair degree of accuracy.
- 19. He understood that the distance of the Sun from the Earth could be worked out by comparing observations of a transit.
- 20. He realized that the time taken by a planet to go round the Sun depends on its distance from the Sun.
- 21. He witnessed a Venus transit but was unable to make any calculations.

List of People

- A Edmond Halley
- B Johannes Kepler
- C Guillaume Le Gentil
- D Johann Franz Encke

Questions 22-26

Do the following statements agree with the information given in Reading Passage 2?

Write answers in boxes **22-26** on your answer sheet. write

TRUE if the statement agrees with the information

FALSE if the statement contradicts the information

NOT GIVEN if there is no information on this

- 22. Halley observed one transit of the planet Venus.
- 23. Le Gentil managed to observe a second Venus transit.
- 24. The shape of Venus appears distorted when it starts to pass in front of the Sun.
- 25. Early astronomers suspected that the atmosphere on Venus was toxic.
- 26. The parallax principle allows astronomers to work out how far away distant stars are from the Earth.